



WELCOME TO
THE **OUTDOOR** WORLD

MICRO OUTDOOR PRODUCTS



YOUR PATIENT WITNESS
www.cameratraps.co.za

www.cameratraps.co.za
info@cameratraps.co.za




Scopes **Thunder TH35**

Thermal scopes
offer a variety of great features:

- Pixel interval: 17 μm
- Detector sensitivity: 35 mK
- Digital zoom: 1x, 2x, 4x, 8x
- Built-in memory: 16 GB
- Battery life: 4.5 hours
- Snapshots, video, Wi-Fi, IP67 protection, and target ranging

For more details, see specifications in the table below.



Ocular lens

An OLED display (1024x768 resolution) gives a great view, massively enhancing user experience.



Picture-in-Picture

The scope can zoom in to the central part of the live view and show that section as a separate picture in the view, so users can see the detail.



Replaceable Batteries

Two CR123A/3.0 V batteries are included in the package box, which can be installed and replaced in a short while.



Multiple crosshairs

Scope supports 5 crosshair shapes and 3 colors, allowing users to personalize to their needs. This matches most automatic rifles and also has a trajectory correction function.



High thermal resolution

A resolution of 384 x 288 and a high sensitivity detector (less than 35MK NETD) gives a clear picture of the target.

Est. 2007



YOUR PATIENT WITNESS
www.cameratraps.co.za

www.cameratraps.co.za
info@cameratraps.co.za



Specifications

	TH35
Image	
Thermal Resolution	384×288
Focal Length	35 mm
Magnification	2.14 - 17.12, ×8
Field of Field	10.0°×8.0°
Eye Relief	45 mm
Display Resolution	0.39-inch, 1024×768 OLED Display
Impact Resistance	750 g/1 ms
Detection Range (1.7×0.5 m)	1235 m
Operating Temperature	-20 °C to 55 °C (-4 °F to 131 °F)
Weight	0.39 kg (0.86 lb)



Est. 2007



YOUR PATIENT WITNESS
www.cameratraps.co.za

www.cameratraps.co.za
info@cameratraps.co.za

HIKMICRO OUTDOOR PRODUCTS

Clip-On **Thunder TH35C**



Thermal clip-on
offers a variety of great features:

- Pixel interval: 17 μm
- Detector sensitivity: 35 mK
- Digital zoom: 1x, 2x, 4x, 8x
- Built-in memory: 16 GB
- Battery life: 4.5 hours
- Snapshots, video, Wi-Fi, IP67 protection, and target ranging

For more details, see specifications in the table below.



High thermal resolution

A resolution of 384 x 288 and a high sensitivity detector (less than 35MK NETD) gives a clear picture of the target.



Picture-in-Picture

The scope can zoom in to the central part of the live view and show that section as a separate picture in the view, so users can see the detail.



Replaceable Batteries

Two CR123A/3.0 V batteries are included in the package box, which can be installed and replaced in a short while.



Est. 2007



YOUR PATIENT WITNESS
www.cameratraps.co.za

www.cameratraps.co.za
info@cameratraps.co.za

Specifications

	TH35C
Image	
Thermal Resolution	384×288
Focal Length	35 mm
Magnification	1.0 – 8.0, ×8
Field of Field	10.0°×8.0°
Eye Relief	10 mm
Display Resolution	0.39-inch, 748×561 OLED
Impact Resistance	750 g/1 ms
Detection Range (1.7×0.5 m)	1235 m
Operating Temperature	-20 °C to 55 °C [-4 °F to 131 °F]
Weight	0.39 kg (0.86 lb)

HIKMICRO OUTDOOR PRODUCTS



Est. 2007



YOUR PATIENT WITNESS
www.cameratraps.co.za

www.cameratraps.co.za
info@cameratraps.co.za



High Image Quality

A resolution of 384×288 and a high sensitivity detector (less than 35 mK NETD) gives a clear picture of the target.



Zeroing the scope by marking the offset on the reticle after the first shot. Five zeroing profiles are configurable for different distances.



Flexible Transformation

Replaceable eyepiece provides an easy and quick way to transform the clip-on to a scope.



IP67 Waterproof Rated

IP67 rated design creates protection from the rain, snow, even when it drops into one meter of the water for up to 30 minutes.



Replaceable Batteries

Two CR123A batteries are included in the package box, which can be installed and replaced in a short while.



High Shock Resistance

Metal housing rugged components provides high shock resistance up to 750 g/ms.



MORE FEATURES

Standby Mode

Standby mode designed to save power consumption with screen off while other features on. The device can be activated in a short time by pressing the button.

4 Color Palettes

THUNDER series provides 4 color palettes for different scenarios.



Picture-in-Picture

It can zoom in to the central part of the live view and show that section as a separate picture in the view, so users can see the

Large Digital Zoom

Digital zoom up to 8× offers better focus on small target from a far distance.

Wi-Fi Hotspot for Mobile App


Integrated Wi-Fi module makes T-Vision app as a second display. Users can use digital zoom, video recording and other features on their phones.

Est. 2007



YOUR PATIENT WITNESS
www.cameratraps.co.za

www.cameratraps.co.za
info@cameratraps.co.za




Wi-Fi Hotspot for Mobile App

Integrated Wi-Fi module makes T-Vision app as a second display.


Users can use digital zoom, video recording and other features on their phones.



QR Code (Android)



For iPhone, you can download T-VISION in app store directly.



www.cameratraps.co.za
info@cameratraps.co.za



HIKMICRO