

# INFORMATION


## SG 560-K / SG 560-X





SG560K-18mHD & SG560X-18mHD are comprehensive high quality, cost-effective camera traps. With its 18MP image resolution and 1080p (SG560X) / 720p (Sg560K) high definition video, these camera present vivid scenes.

The SG560K & SG 560X use 940nm NO GLOW invisible IR flash that cannot to be seen at night - so no disturbance. 8 or 4 pieces of AA batteries are used in these cameras and it can be used in rain and snow.

The SG560X-18mHD also comes equipped with a built-in Xenon flash light which greatly reduces 'motion blur' for better night photos.



①	IR LED	②	Flash: Available for SG560X/SG2060-X
③	Indication	④	Mic
⑤	PIR	⑥	Lens
⑦	Lock		



**Features:**

- Camera Mode: YES
- Video Mode: YES
- Time Lapse: YES
- Sound Recording: YES
  - Day & Night Modes
  - Color photos and videos during the day and black-and-white photos and videos at night
- Trigger Time: 0.8 sec.
- Image Resolution: 18MP / 12MP / 5MP
- Video Resolution: 1080p (1920x1080 - only available for SG560X) / 720p (1280x720) / VGA (640x480)
- Photo Burst: 1-5 Photos
- Lens: F/NO=2.4; FOV (Field of View)=57°
- PIR Detection: (25-30m) / 100ft
- Display Screen: Built-in 2.0" colour LCD
- Memory Card: Supports from 8 MB to 32 GB
- Video Length: SG560K: 5 - 60 sec / SG560X: 5-120 sec
- Focus Distance: (SG 560X ONLY) Selectable / Far or Near (*Not available for SG560K*)
- PIR Sensitivity: Adjustable (High / Normal / Low / Off)
- Work Day: (SG 560X ONLY) Choose day of the week you want camera to operate
- Operation Temp: -20 - +60°C
- Weight: 0.25 kg
- Power Supply: 8\*AA or 4\*AA batteries - or external DC 6V, 2A
- Stand-by Current: < 300uA
- Mounting: Belt
- Dimensions: 140x80x50 mm
- Operation Humidity: 5%-90%
- Security Authentication: FCC, CE, RoHS



Est. 2007



*YOUR PATIENT WITNESS*

**CAMERA TRAPS cc**

**+27(0)83 560 0555 | +27(0)82 422 0356**

**info@cameratrap.co.za**

**www.cameratrap.co.za**

**SOUTH AFRICA**